ELSEVIER

Molecular Brain Research 92 (2001) 201–202

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/bres

Author index

Ansselin, A.D., see Eckersley, L. (92) 128

Badge, R.M., see Cheng, Y.-C. (92) 193
Basura, G.J. and Walker, P.D.
Serotonin 2A receptor regulation of striatal neuropeptide gene expression is selective for tachykinin, but not enkephalin neurons following dopamine depletion (92) 66
Beck, B., see Stricker-Krongrad, A. (92) 43
Biggio, F., see Follesa, P. (92) 138
Biggio, G., see Follesa, P. (92) 138
Bogdanovic, N., see Wirdefeldt, K. (92) 58
Boxer, L.M., see Freeland, K. (92) 98
Brown, E.M., see Chattopadhyay, N. (92) 172
Busonero, F., see Follesa, P. (92) 138
Busto, R., see Schmidt-Kastner, R. (92) 157

Cagetti, E., see Follesa, P. (92) 138
Carta, M., see Follesa, P. (92) 138
Chattopadhyay, N. and Brown, E.M.
Retinoic acid receptors are expressed in human primary astrocytes and their agonists inhibit parathyroid hormone-related peptide expression and secretion (92) 172
Chen, S.-T., see Huang, C.-M. (92) 181
Cheng, Y.-C., Lee, C.-J., Badge, R.M., Orme, A.T. and Scotting, P.J.
Sox8 gene expression identifies immature glial cells in developing cerebellum and cerebellar tumours (92) 193
Cho, H.-J., see Kim, D.-S. (92) 167
Chu, P.-W., see Huang, C.-M. (92) 181
Corsi, L., see Subramaniam, J.R. (92) 149

Dimitrov, T., see Stricker-Krongrad, A. (92) 43
Doi, T., Ueda, Y., Tokumaru, J., Mitsuyama, Y. and Willmore, L.J.
Sequential changes in AMPA and NMDA protein levels during Fe^{3+}-induced epileptogenesis (92) 107

Eckersley, L., Ansselin, A.D. and Tomlinson, D.R.
Effects of experimental diabetes on axonal and Schwann cell changes in sciatic nerve isografts (92) 128
Epplen, J.T., see Holzmann, C. (92) 85

Follesa, P., Cagetti, E., Mancuso, L., Biggio, F., Manca, A., Maciocco, E., Massa, F., Speranza Desole, M., Carta, M., Busonero, F., Sanna, E. and Biggio, G.
Increase in expression of the $GABA_A$ receptor α_4 subunit gene induced by withdrawal of, but not by long-term treatment with, benzodiazepine full or partial agonists (92) 138
Freeland, K., Boxer, L.M. and Latchman, D.S.
The cyclic AMP response element in the Bcl-2 promoter confers inducibility by hypoxia in neuronal cells (92) 98

Ginsberg, M.D., see Schmidt-Kastner, R. (92) 157
Gotter, A.L. and Reppert, S.M.
Analysis of human *Per4* (92) 19
Guenther, E., see Wheeler-Schilling, T.H. (92) 177

Higo, A., see Shirotani, K. (92) 12
Holzmann, C., Schmidt, T., Thiel, G., Epplen, J.T. and Riess, O.
Functional characterization of the human Huntington's disease gene promoter (92) 85
Huang, C.-M., Shui, H.-A., Wu, Y.-T., Chu, P.-W., Lin, K.-G., Kao, L.-S. and Chen, S.-T.
Proteomic analysis of proteins in PC12 cells before and after treatment with nerve growth factor: increased levels of a 43-kDa chromogranin B-derived fragment during neuronal differentiation (92) 181

Jabs, R., see Wheeler-Schilling, T.H. (92) 177

Kalin, N.H., see Roseboom, P.H. (92) 115
Kao, L.-S., see Huang, C.-M. (92) 181
Katsura, M., see Shirotani, K. (92) 12
Kim, D.-S., Lee, S.-J. and Cho, H.-J.
Differential usage of multiple brain-derived neurotrophic factor promoter in rat dorsal root ganglia following peripheral nerve injuries and inflammation (92) 167
Kitano, H., see Nakajima, Y. (92) 27
Kohler, K., see Wheeler-Schilling, T.H. (92) 177

Larkin, P. and Semple-Rowland, S.L.
A null mutation in guanylate cyclase-1 alters the temporal dynamics and light entrainment properties of the iodopsin rhythm in cone photoreceptor cells (92) 49
Latchman, D.S., see Freeland, K. (92) 98
Lee, C.-J., see Cheng, Y.-C. (92) 193
Lee, S.-J., see Kim, D.-S. (92) 167
Lin, B., see Schmidt-Kastner, R. (92) 157
Lin, K.-G., see Huang, C.-M. (92) 181
Lipp, H.-P., see Otto, C. (92) 78

Maciocco, E., see Follesa, P. (92) 138
Maldonado, R., see Otto, C. (92) 78
Manca, A., see Follesa, P. (92) 138
Mancuso, L., see Follesa, P. (92) 138
Marquordt, K., see Wheeler-Schilling, T.H. (92) 177
Martin, M., see Otto, C. (92) 78
Massa, F., see Follesa, P. (92) 138
Matsuyama, T., see Nakajima, Y. (92) 27
Mitsuyama, Y., see Doi, T. (92) 107
Mohri, Y., see Shirotani, K. (92) 12
Murdoch, G., see Wirdefeldt, K. (92) 58

Nakajima, Y., Okamoto, M., Nishimura, H., Obata, K., Kitano, H., Sugita, M. and Matsuyama, T.
Neuronal expression of mint1 and mint2, novel multimodular proteins, in adult murine brain (92) 27
Neale, J.H., see Subramaniam, J.R. (92) 149
Nishimura, H., see Nakajima, Y. (92) 27

Obata, K., see Nakajima, Y. (92) 27
Ohkuma, S., see Shirotani, K. (92) 12
Ohno, K., see Utsumi, M. (92) 1
Okamoto, M., see Nakajima, Y. (92) 27
Onchi, H., see Utsumi, M. (92) 1
Orme, A.T., see Cheng, Y.-C. (92) 193
Otto, C., Martin, M., Wolfer, D.P., Lipp, H.-P., Maldonado, R. and Schütz, G.
Altered emotional behavior in PACAP-type-I-receptor-deficient mice (92) 78

Payami, H., see Wirdefeldt, K. (92) 58

Reppert, S.M., see Gotter, A.L. (92) 19
Riess, O., see Holzmann, C. (92) 85
Roseboom, P.H., Urben, C.M. and Kalin, N.H.
Persistent corticotropin-releasing

0169-328X/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(01)00196-6

factor, receptor desensitization and downregulation in the human neuroblastoma cell line IMR-32 (92) 115

Sanna, E., see Follesa, P. (92) 138
Sato, K., see Utsumi, M. (92) 1
Saul, I., see Schmidt-Kastner, R. (92) 157
Schalling, M., see Wirdefeldt, K. (92) 58
Schmidt, T., see Holzmann, C. (92) 85
Schmidt-Kastner, R., Truettner, J., Lin, B., Zhao, W., Saul, I., Busto, R. and Ginsberg, M.D.
Transient changes of brain-derived neurotrophic factor (BDNF) mRNA expression in hippocampus during moderate ischemia induced by chronic bilateral common carotid artery occlusions in the rat (92) 157
Schütz, G., see Otto, C. (92) 78
Scotting, P.J., see Cheng, Y.-C. (92) 193
Semple-Rowland, S.L., see Larkin, P. (92) 49
Shirotani, K., Katsura, M., Higo, A., Takesue, M., Mohri, Y., Shuto, K., Tarumi, C. and Ohkuma, S.
Suppression of Ca^{2+} influx through L-type voltage-dependent calcium channels by hydroxyl radical in mouse cerebral cortical neurons (92) 12
Shui, H.-A., see Huang, C.-M. (92) 181
Shuto, K., see Shirotani, K. (92) 12
Speranza Desole, M., see Follesa, P. (92) 138
Stricker-Krongrad, A., Dimitrov, T. and Beck, B.
Central and peripheral dysregulation of melanin-concentrating hormone in obese Zucker rats (92) 43
Subramaniam, J.R., Corsi, L., Vicini, S., Whiting, P.J. and Neale, J.H.
Ribozyme-mediated reduction of the $GABA_A$ receptor α1 subunit (92) 149
Sugita, M., see Nakajima, Y. (92) 27

Takesue, M., see Shirotani, K. (92) 12
Tarumi, C., see Shirotani, K. (92) 12
Thiel, G., see Holzmann, C. (92) 85
Tohyama, M., see Utsumi, M. (92) 1
Tokumaru, J., see Doi, T. (92) 107
Tomlinson, D.R., see Eckersley, L. (92) 128
Truettner, J., see Schmidt-Kastner, R. (92) 157

Ueda, Y., see Doi, T. (92) 107
Urben, C.M., see Roseboom, P.H. (92) 115
Utsumi, M., Ohno, K., Onchi, H., Sato, K. and Tohyama, M.
Differential expression patterns of three glutamate transporters (GLAST, GLT1 and EAAC1) in the rat main olfactory bulb (92) 1

Vicini, S., see Subramaniam, J.R. (92) 149

Walker, P.D., see Basura, G.J. (92) 66
Westerberg, L., see Wirdefeldt, K. (92) 58
Wheeler-Schilling, T.H., Marquordt, K., Kohler, K., Guenther, E. and Jabs, R.
Identification of purinergic receptors in retinal ganglion cells (92) 177
Whiting, P.J., see Subramaniam, J.R. (92) 149
Willmore, L.J., see Doi, T. (92) 107
Wirdefeldt, K., Bogdanovic, N., Westerberg, L., Payami, H., Schalling, M. and Murdoch, G.
Expression of α-synuclein in the human brain: relation to Lewy body disease (92) 58
Wolfer, D.P., see Otto, C. (92) 78
Wu, Y.-T., see Huang, C.-M. (92) 181

Zhao, W., see Schmidt-Kastner, R. (92) 157